

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	71	(stor\$3 with (amount or number) with (bit or byte or word) with (predetermin\$4 or threshold) with (send \$4 or transmit\$4) with (packet or frame)) and (@pd<"20020207" or @ptad<"20020207")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/02/01 15:25
S1	7614	(370/229,230,235,236,236.1,236.2).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/06 10:03
S2	67	((nak or (negative ack) or (negative acknowledg\$5)) with suppress\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/06 10:04
S3	2	((("6112323") or ("6011796"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2009/01/06 10:05
S4	14	((nak or (negative ack) or (negative acknowledg\$5)) with suppress\$4) and ((nak or (negative ack) or (negative acknowledg\$5)) with (buffer\$4 or queue\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/06 10:10
S5	4	((("0969623") or ("0203597"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2009/01/06 11:56
S6	193	((nak or (negative ack) or (negative acknowledg\$5)) near2 (buffer\$4 or queue\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/06 11:57
S8	33	((nak or (negative ack) or (negative acknowledg\$5)) near2 (buffer\$4 or queue\$4)) and suppress\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/06 11:57
S9	3	S1 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/06 12:05
S10	28	((nak or (negative ack) or (negative acknowledg\$5)) near2 suppress\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/07 15:20

S11	40	((nak or (negative ack) or (negative acknowledg\$5)) near5 suppress\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/07 16:08
S12	340	((nak or (negative ack) or (negative acknowledg\$5)) near5 wait\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/07 16:19
S13	47	((nak or (negative ack) or (negative acknowledg\$5)) near5 wait\$4) and ((nak or (negative ack) or (negative acknowledg\$5)) near5 (buffer\$4 or queue\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/07 16:20
S14	8	((nak or (negative ack) or (negative acknowledg\$5)) same suppress\$4) and ((nak or (negative ack) or (negative acknowledg\$5)) near5 (buffer\$4 or queue\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/07 16:22
S15	2	("6112323").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/07 16:23
S16	2	((retransmi\$5) same suppress\$4) and ((nak or (negative ack) or (negative acknowledg\$5)) near5 (buffer\$4 or queue\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/07 16:25
S17	116	((retransmi\$5) same suppress\$4) and ((nak or (negative ack) or (negative acknowledg\$5)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/07 16:26
S18	57	((retransmi\$5) with suppress\$4) and ((nak or (negative ack) or (negative acknowledg\$5)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/07 16:26
S19	61	nack with suppress\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/07 17:12
S20	7	retransmi\$4 with request\$4 with suppress\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/07 17:33

S21	52	retransmi\$4 near5 suppress\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/07 17:36
S22	18	((nak or nack or (negative ack) or (negative acknowledg\$5)) near5 (hold\$4 or quench\$4 or repress\$4 or withhold\$4)) and congest\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/07 17:39
S23	18	((nak or nack or (negative ack) or (negative acknowledg\$5)) near5 (hold\$4 or quench\$4 or repress\$4 or withhold\$4)) and (congest\$4 or flood \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/07 17:40
S24	27	((nak or nack or (negative ack) or (negative acknowledg\$5)) with (hold\$4 or quench\$4 or repress\$4 or withhold\$4)) and (congest\$4 or flood \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/07 17:41
S25	128	((nak or nack or (negative ack) or (negative acknowledg\$5)) with (congest\$4 or flood\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/07 17:43
S26	14	((nak or nack or (negative ack) or (negative acknowledg\$5)) with (congest\$4 or flood\$4)) with reduc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/07 17:43
S27	14	((((nak or nack or (negative ack) or (negative acknowledg\$5)) with (congest\$4 or flood\$4)) with reduc\$4) and (nak or nack or (negative ack) or (negative acknowledg\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/07 17:47
S28	123	(nak or (negative ack) or (negative acknowledg\$5)) same suppress\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/14 17:05
S29	194	(nak or (negative ack) or (negative acknowledg\$5) or nack) same suppress\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/14 17:06
S30	97	((nak or (negative ack) or (negative acknowledg\$5) or nack) near4 number) with (buffer\$4 or queu\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/14 17:48

S31	62	((nak or (negative ack) or (negative acknowledg\$5) or nack) near4 pending)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/14 17:51
S32	69	((nak or (negative ack) or (negative acknowledg\$5) or nack) with (buffer\$4 or queu\$4) with (predetermined or threshold))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 09:55
S33	862	((re-transmi\$5 or retransmi\$4 or re\$transmi\$4) near2 (request\$4 or message)) with (suppress\$4 or block\$4 or delay\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 10:23
S34	318	((re-transmi\$5 or retransmi\$4 or re\$transmi\$4) near2 (request\$4 or message)) near2 (suppress\$4 or block\$4 or delay\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 10:28
S35	2	((re-transmi\$5 or retransmi\$4 or re\$transmi\$4) near2 (request\$4 or message)) near2 (suppress \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 10:29
S36	26	((re-transmi\$5 or retransmi\$4 or re\$transmi\$4) near2 (request\$4 or message)) with (suppress\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 10:30
S37	38	((re-transmi\$5 or retransmi\$4 or re\$transmi\$4) near2 (request\$4 or message)) with (pending)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 10:31
S38	74717	((re-transmi\$5 or retransmi\$4 or re\$transmi\$4) or (nak or nack or (negative acknowledg\$4)) with (congestion or flood\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 10:41
S39	6566	((re-transmi\$5 or retransmi\$4 or re\$transmi\$4) or (nak or nack or (negative acknowledg\$4)) with (congestion or flood\$4)) and suppress\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 10:43
S40	661	((re-transmi\$5 or retransmi\$4 or re\$transmi\$4) or (nak or nack or (negative acknowledg\$4)) with (congestion or flood\$4)) same suppress\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 10:44

S41	28	((re-transmit\$5 or retransmit\$4 or retransmit\$4) or (nak or nack or (negative acknowledgment\$4))) with (congestion or flood\$4)) same suppress\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 10:44
S42	22	(nak near5 suppress\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 10:55
S43	3	(nak near5 multiple) same (congestion or flood\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 11:25
S44	41	(nak near5 multiple) and (congestion or flood\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 11:25
S45	30	nak near2 register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 11:41
S46	94	nak near2 stor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/15 12:38
S47	2	(("6112323") or ("6011796")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2009/01/15 12:51
S48	505	(suppress\$4 with (ack or acknowledgment\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/28 16:19
S49	285	(suppress\$4 near4 (ack or acknowledgment\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/28 16:22
S50	109	(suppress\$4 near4 (ack))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/28 16:22
S51	11	(suppress\$4 with (ack)) same congest\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/28 16:40

S52	25	defer\$4 with (nak or nack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/28 16:42
S53	34	nak with (flood\$4 or congest\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/28 17:45
S54	561	(multiple or plurality or group\$4) near4 (nak or nack or (negative acknowledg\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/28 17:53
S55	339	(multiple or plurality or group\$4) near2 (nak or nack or (negative acknowledg\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/28 17:54
S56	83	(multiple or plurality or group\$4) near2 (nak or nack or (negative acknowledg\$4)) near2 (transmit\$4 or send\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/28 17:55
S57	54	(consecutive) near2 (nak or nack or (negative acknowledg\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/28 18:19
S58	730	number near2 (nak or nack or (negative acknowledg\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/29 12:29
S59	63	predetermined near2 number near2 (nak or nack or (negative acknowledg\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/29 12:29
S60	129	(predetermined with number with (buffer\$4) with equal with (send\$4 or transmit\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/29 15:43
S61	244	(predetermined with number with (buffer\$4) with equal with (send\$4 or transmit\$4 or output\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/29 15:53

S62	156	(predetermined with number with (buffer\$4) with equal with (send\$4 or transmit\$4 or output\$4)) and (@pd<"20020207" or @riad<"20020207" or @ptad<"20020207")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/29 16:12
S63	0	(predetermined with number with (buffer\$4) with equal with (send\$4 or transmit\$4 or output\$4)) same ((air or wireless) near5 (frame or cell or packet)) and (@pd<"20020207" or @riad<"20020207" or @ptad<"20020207")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/29 16:16
S64	1	(predetermined with number with (buffer\$4) with equal with (send\$4 or transmit\$4 or output\$4)) same ((air or wireless) with (frame or cell or packet)) and (@pd<"20020207" or @riad<"20020207" or @ptad<"20020207")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/29 16:16
S65	1	(predetermined with number with (buffer\$4) with equal with (send\$4 or transmit\$4 or output\$4)) same ((air or wireless) same (frame or cell or packet)) and (@pd<"20020207" or @riad<"20020207" or @ptad<"20020207")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/29 16:17
S66	3	(predetermined with number with (buffer\$4) with (air or wireless) with (send\$4 or transmit\$4 or output\$4)) and (@pd<"20020207" or @riad<"20020207" or @ptad<"20020207")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/29 16:19
S67	3	(predetermined with amount with (buffer\$4) with (air or wireless) with (send\$4 or transmit\$4 or output\$4)) and (@pd<"20020207" or @riad<"20020207" or @ptad<"20020207")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/29 16:19
S68	7	(predetermined with amount with (buffer\$4 or queue\$4 or memory or stor\$3) with (wireless) with (send\$4 or transmit\$4 or output\$4)) and (@pd<"20020207" or @riad<"20020207" or @ptad<"20020207")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/29 16:20
S69	278	(predetermined with (buffer\$4 or queue\$4 or memory or stor\$3) with (wireless) with (send\$4 or transmit\$4 or output\$4)) and (@pd<"20020207" or @riad<"20020207" or @ptad<"20020207")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/29 16:23
S70	158	(predetermined with (buffer\$4 or queue\$4 or memory or stor\$3) with (wireless) with (send\$4 or transmit\$4 or output\$4)) and (@pd<"20020207" or @ptad<"20020207")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/29 16:23
S71	0	(predetermined with ack with (buffer\$4 or queue\$4 or memory or stor\$3) with (wireless) with (send\$4 or transmit\$4 or output\$4)) and (@pd<"20020207" or @ptad<"20020207")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/29 16:25

S72	1	((amount or number) with ack with (buffer\$4 or queue\$4 or memory or stor\$3) with (wireless) with (send\$4 or transmit\$4 or output\$4)) and (@pd<"20020207" or @ptad<"20020207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/29 16:26
S73	31	((amount or number) with (packet or cell or frame) with (buffer\$4 or queue\$4 or memory or stor\$3) with (wireless) with (send\$4 or transmit\$4 or output\$4)) and (@pd<"20020207" or @ptad<"20020207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/29 16:26
S74	6	((accumulat\$4 or aggregat\$4) with (packet or frame or cell) with (wireless) with (transmit\$4 or send\$4 or output\$4)) and (@pd<"20020207" or @ptad<"20020207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/29 16:30
S75	8	((packet or cell or frame) with (size or equal) with (buffer\$4 or queue\$4 or memory or stor\$3) with (wireless) with (send\$4 or transmit\$4 or output\$4)) and (@pd<"20020207" or @ptad<"20020207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/29 17:33
S76	11	((((packet or cell or frame) with (size or equal or amount) with (wireless) with (send\$4 or transmit\$4 or output\$4)) same (buffer\$4 or queue\$4 or memory or stor\$3) and (@pd<"20020207" or @ptad<"20020207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/29 17:40
S77	0	((((aggregat\$4 or accumulat\$4) near2 (packet or cell or frame or data) with (size or amount or number) with (predetermin\$4 or reach\$4 or threshold)) same wireless) and (@pd<"20020207" or @ptad<"20020207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/29 17:45
S78	771	((((aggregat\$4 or accumulat\$4) near2 (packet or cell or frame or data) with (size or amount or number) with (predetermin\$4 or reach\$4 or threshold))) and (@pd<"20020207" or @ptad<"20020207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/29 17:45
S79	176	((((aggregat\$4 or accumulat\$4) near2 (packet or cell or frame or data) with (size or amount or number) with (predetermin\$4 or reach\$4 or threshold) with (send\$4 or transmit\$4 or output\$4)) and (@pd<"20020207" or @ptad<"20020207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/29 17:46
S80	0	((((aggregat\$4 or accumulat\$4) near2 (packet or cell or frame or data) with (size or amount or number) with (predetermin\$4 or reach\$4 or threshold) with (send\$4 or transmit\$4 or output\$4)) same wireless) and (@pd<"20020207" or @ptad<"20020207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/29 17:49
S81	10	((((aggregat\$4 or accumulat\$4) near2 (packet or cell or frame or data) with (size or amount or number) with (predetermin\$4 or reach\$4 or threshold) with (send\$4 or transmit\$4 or output\$4)) and wireless) and (@pd<"20020207" or @ptad<"20020207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/29 17:56

S82	2	((((aggregat\$4 or accumul\$4) near2 (packet or cell or frame or data) with (bit or byte) with (predetermin\$4 or reach\$4 or threshold) with (send\$4 or transmit\$4 or output\$4))) and wireless) and (@pd<"20020207" or @ptad<"20020207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/30 11:13
S83	52	((((aggregat\$4 or accumul\$4 or stor\$3 or queu\$4 or buffer\$4) near2 (packet or cell or frame or data) with (bit or byte) with (predetermin\$4 or reach\$4 or threshold) with (send\$4 or transmit\$4 or output\$4)) and wireless) and (@pd<"20020207" or @ptad<"20020207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/30 11:15
S84	3	((wireless near3 (frame or cell or packet) near3 (size or amount or bit or byte)) same ((send\$4 or transmit\$4 or output\$4) near5 (predetermin\$4 or threshold))) and (@pd<"20020207" or @ptad<"20020207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/30 11:31
S85	7	((wireless near6 (frame or cell or packet) near6 (size or amount or bit or byte)) same ((send\$4 or transmit\$4 or output\$4) near5 (predetermin\$4 or threshold))) and (@pd<"20020207" or @ptad<"20020207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/30 11:33
S86	1	11/375853	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/30 12:51
S87	1	(stor\$3 near2 forward\$4) with nak	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/30 14:39
S88	8	(stor\$3 near2 forward\$4) same nak	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/30 14:40
S89	2691	(370/428-429).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 15:02
S90	27	S89 and nak	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/30 15:27
S91	1374	370/428-429.ccls. and (@pd<"20020207" or @ptad<"20020207"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/30 15:28

S92	0	S89 and nak 370/428-429 and (@pd<"20020207" or @ptad<"20020207")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/30 15:28
S93	154	370/428-429.ccls. and (@pd<"20020207" or @ptad<"20020207") and ((predetermined or threshold) with (send\$4 or transmit\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/30 15:29
S94	0	370/428-429.ccls. and (@pd<"20020207" or @ptad<"20020207") and (wireless near5 (packet or frame or cell) near5 (amount or size or byte or bit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/30 16:06
S95	150	((@pd<"20020207" or @ptad<"20020207") and (wireless near5 (packet or frame or cell) near5 (amount or size or byte or bit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/30 16:07
S96	140	370/428-429.ccls. and (@pd<"20020207" or @ptad<"20020207") and ((frame or cell or packet) near5 (size))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/30 16:13
S97	67	370/428-429.ccls. and (@pd<"20020207" or @ptad<"20020207") and ((frame or cell or packet) near5 (size) with (buffer\$4 or stor\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/30 16:15
S98	15	370/428-429.ccls. and (@pd<"20020207" or @ptad<"20020207") and ((frame or cell or packet) near5 (size) with (buffer\$4 or stor\$4) with (send\$4 or transmit\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/30 16:19
S99	20	370/428-429.ccls. and (@pd<"20020207" or @ptad<"20020207") and ((frame or cell or packet) with (size) with (buffer\$4 or stor\$4) with (send\$4 or transmit\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/30 16:31
S100	45	(stor\$3 near2 forward\$4) and (@pd<"20020207" or @ptad<"20020207") and ((frame or cell or packet) with (size) with (buffer\$4 or stor\$4) with (send\$4 or transmit\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/30 16:32
S101	54	(stor\$3 near2 forward\$4) and (@pd<"20020207" or @ptad<"20020207") and (((frame or cell or packet) near2 (stor\$3 or buffer\$4)) same ((size) with (send \$4 or transmit\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/30 17:15

S102	1748	((accumulat\$4 or aggregat\$4 or stor\$4) with (bit or byte) with (predetermin\$4 or threshold) with (send \$4 or transmit\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/30 17:32
S103	304	((accumulat\$4 or aggregat\$4 or stor\$4) with (segment or fragment) with (predetermin\$4 or threshold) with (send\$4 or transmit\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/30 17:33
S104	116	((accumulat\$4 or aggregat\$4 or stor\$4) with (segment or fragment) with (predetermin\$4 or threshold) with (send\$4 or transmit\$4)) and (@pd<"20020207" or @ptad<"20020207")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/30 17:33
S105	381	((accumulat\$4 or aggregat\$4 or stor\$4) with (amount or number) with (bit or byte) with (predetermin\$4 or threshold) with (send\$4 or transmit\$4)) and (@pd<"20020207" or @ptad<"20020207")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/30 17:44
S106	17	((accumulat\$4 or aggregat\$4 or stor\$4) with (amount or number) with (word) with (packet or frame) with (predetermin\$4 or threshold) with (send \$4 or transmit\$4)) and (@pd<"20020207" or @ptad<"20020207")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/31 20:27
S107	114	((length) with (bit or byte or word) with (predetermin \$4 or threshold) with (send\$4 or transmit\$4) with (packet or frame)) and (@pd<"20020207" or @ptad<"20020207")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/31 20:59
S108	19	(stor\$3 with (length) with (bit or byte or word) with (predetermin\$4 or threshold) with (send\$4 or transmit\$4) with (packet or frame)) and (@pd<"20020207" or @ptad<"20020207")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/31 21:12

2/1/2009 5:11:26 PM

C:\Documents and Settings\cduong\My Documents\EAST\Workspaces\christine\10071475\20090106.wsp